



Version number 2

Printing date 30.06.2016 Revision: 30.06.2021

## \*SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Identifier:

Trade name: Oxidized Polyethylene Wax (OPE WAX)

Synonyms: Polyethylene, Polyethylene wax Chemical name: Ethene, homopolymer

**CAS Number:** 68441-17-8 **EINECS Number:** 

Polymer

1.2 Relevant identified uses of the substance or mixture and uses advised against:

**Product category:** General use of Polyethylene Wax.

Application of the substance / the mixture: Professional use only - Plastic industry (external lubricant)

1.3 Details of the supplier of the safety data sheet:

Manufacturer / Importer / Supplier:

LUBKIM POLYTECH GOODS WHOLESALERS CO LLC

No.1904-036 Binary Tower Business Bay, Dubai, UAE. PO BOX: 418196

Tel. +97143736006 Mobile +971501607511

Further information obtainable from: Product safety department.

1.4 Emergency telephone number:

Tel. +97143736006 Mobile +971501607511, info@lubkim.com This telephone number can be reached during office hours.

## **SECTION 2: Hazards Identification**

2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) No 1272/2008: The substance is not classified according to the CLP regulation.

2.2 Label elements:

Labelling according to Regulation (EC) No 1272/2008: Void

Hazard pictograms: Void Signal word: Void Hazard statements: Void 2.3 Other hazards:

Results of PBT and vPvB assessment:

PBT: Not applicable. vPvB: Not applicable.

### SECTION 3: Composition/Information on Ingredients

3.1 Chemical characterization: Substances:

CAS No. Description:

68441-17-8 Oxidized Ethene, homopolymer

Identification number(s) EC number: Polymer

Additional information: For the wording of the listed hazard phrases See section 16.

### **SECTION 4: First Aid Measures**

4.1 Description of first aid measures:

General information:

Persons, providing assistance, should avoid exposure and danger for themselves or others.

Take affected persons out of danger area and lay down.

(Contd. on page 2)





### Version number 2

Printing date 30.06.2016 Revision: 30.06.2021

### Trade name: Oxidized Polyethylene Wax

(Contd. of page 1

Keep warm, position comfortably and cover well.

Never give anything by mouth to an unconscious person.

After inhalation: Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

#### After skin contact:

After contact with the molten product, cool rapidly with cold water.

Do not pull solidified product off the skin.

Seek immediate medical advice.

#### After eye contact:

If possible, remove contact lenses, if present and easy to do.

Rinse opened eye for several minutes (at least 15 minutes) under running water. If symptoms persist, consult a doctor.

#### After ingestion:

Do not induce vomiting.

Rinse mouth and drink 2 glasses of water.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed: No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

## **SECTION 5: Firefighting Measures**

#### 5.1 Extinguishing media:

Suitable extinguishing agents: CO2, powder, foam or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet

#### 5.2 Special hazards arising from the substance or mixture:

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO2)

### 5.3 Advice for firefighters:

## Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information: Cool endangered tanks with water spray.

#### **SECTION 6: Accidental ReleaseMeasures**

### 6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Allow to solidify. Pick up mechanically.
- 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and Storage**

7.1 Precautions for safe handling: Avoid inhalation of vapors and contact with eyes, skin and clothing.

Information about fire and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities:

#### Storage:

Requirements to be met by storerooms and tanks: Only use tanks which are specially equipped for this product.

Information about storage in one common storage facility: Store away from oxidising agents.

Further information about storage conditions:

Protect from heat and direct sunlight.

Store between 0 °C and 40 °C in a dry, well ventilated place.

(Contd. on page 3)





Version number 2

Printing date 30.06.2016 Revision: 30.06.2021

Trade name: Oxidized Polyethylene Wax

(Contd. of page 2)

7.3 Specific end use(s): No further relevant information available.

## **SECTION 8: Exposure Controls/Personal Protection**

Additional information about design of technical facilities: No further data; see section 7.

#### 8.1 Control parameters:

Ingredients with limit values that require monitoring at the workplace: Not required.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter AX

Protection of hands:

Only use chemical-protective gloves with CE-labelling of category III.

Use protective gloves to DIN EN374-3

Heat resistant gloves

Material of gloves: Not required

Penetration time of glove material: Not applicable.

**Eye protection:** Safety glasses **Body protection:** Use protective suit.

Limitation and supervision of exposure into the environment: Prevent spills from reaching surface waters or soil.

## **SECTION 9: Physical and Chemical Properties**

· ·	
9.1 Information on basic physical a	and chemical properties:
General Information:	
Appearance:	
Form:	Solid
Colour: Odour:	White or off white
Odour threshold:	Wax like [Slight] Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	120 - 150 °C
Boiling point/Boiling range:	Undetermined.
Flash point:	> 491 °F (255 °C) Method: closed cup
Flammability (solid, gaseous):	May form combustible dust concentrations in air
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Self-igniting:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
- ·	Not applicable.
	пот аррисаріе.





Version number 2

Printing date 30.06.2016 Revision: 30.06.2021

Trade name: Oxidized Polyethylene Wax

(Contd. of page 3)

Density at 20 °C: 0.96 - 1.00 g/cm3
Relative density: Not determined.
Vapour density: Not determined.
Evaporation rate: Not determined.

Solubility in / Miscibility with:

Water: negligible.

Partition coefficient (n-octanol/water): Not determined.

Solvent content:

Oxidizing properties: Not determined

**9.2 Other information:** No further relevant information available.

## **SECTION 10: Stability and Reactivity**

10.1 Reactivity: Stable under recommended conditions.

10.2 Chemical stability:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- 10.4 Conditions to avoid: No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological Information**

11.1 Information on toxicological effects:

Acute toxicity: Based on available data, the classification criteria are not met.

Primary irritant effect:

Skin corrosion/irritation: No data available. Serious eye damage/irritation: No data available.

Inhalaton: No data available.

Respiratory or skin sensitization: Based on available data, the classification criteria are not met.

CMR effects (carcinogenic, mutagenic and reprotoxic):

**Germ cell mutagenicity:** Based on available data, the classification criteria are not met. **Carcinogenicity:** Based on available data, the classification criteria are not met. **Reprotoxicity:** Based on available data, the classification criteria are not met.

**STOT-single exposure:** Based on available data, the classification criteria are not met. **STOT-repeated exposure:** Based on available data, the classification criteria are not met. **Aspiration hazard:** Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological Information**

#### 12.1 Toxicity:

The product components are not classified as dangerous for the environment or the quantities are not relevant. Larger or frequent spills can be dangerous or harmful to the environment.

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability: No further relevant information available.

12.3 Bioaccumulative potential: No further relevant information available.

12.4 Mobility in soil: No further relevant information available.

(Contd. on page 5)





Version number 2

Printing date 30.06.2016 Revision: 30.06.2021

## Trade name: Oxidized Polyethylene Wax

(Contd. of page 4)

#### Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

12.5 Results of PBT and vPvB assessment:

**PBT:** Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects: No further relevant information available.

### **SECTION 13: Disposal Considerations**

### 13.1 Waste treatment methods:

#### Recommendation:

Observe the locally applicable regulations.

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

European waste catalogue: 13 08 99 Oil waste (not otherwise specfied)

Contaminated packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport Information		
14.1 UN-Number: ADR,RID,ADN, IMDG, IATA	Void	
14.2 UN proper shipping name: ADR,RID,ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es):		
ADR,RID,ADN, IMDG, IATA Class:	Void	
14.4 Packing group: ADR,RID,ADN, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user:	Not applicable.	
14.7 Transport in bulk according to Annex II of Marpol and		
the IBC Code:	Not applicable.	
UN "Model Regulation":	Void	

## **SECTION 15: Regulatory Information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Directive 2012/18/EU:

Named dangerous substances - ANNEX I: Substance is not listed.

National regulations:

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other Information**

This information is based on our present knowledge. This shall not constitute a guarantee for any properties of the product and shall not establish a legally valid contractual relationship.

(Contd. on page 6)





## Version number 2

Printing date 30.06.2016 Revision: 30.06.2021

## Trade name: Oxidized Polyethylene Wax

(Contd. of page 5)

Training hints: Take care of good information, instruction and training for users.

#### Abbreviations and acronyms:

ADN: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (Division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative mPa.s: milliPascal per second

#### References:

This information is based on the current available data (suppliers of raw materials, chemistry maps, Annex VI) See also the internet site: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database

Revisions were made in sections marked with \*.

GB